

Refine Search

Search Results -

| Terms | Documents |
|---------------------------|-----------|
| L7 and (562/\$ or 514/\$) | 1 |

Database: US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search: L8  **Refine Search**

Recall Text  **Clear**  **Interrupt** 

Search History

DATE: Thursday, May 03, 2007 [Purge Queries](#) [Printable Copy](#) [Create Case](#)

| Set Name | Query | Hit Count | Set Name result set |
|--|---------------------------|-----------|------------------------|
| <i>side by side</i> | | | |
| <i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i> | | | |
| <u>L8</u> | L7 and (562/\$ or 514/\$) | 1 | <u>L8</u> |
| <u>L7</u> | L6 and actinomycetales | 3 | <u>L7</u> |
| <u>L6</u> | SERPENTEMYCIN | 3 | <u>L6</u> |
| <i>DB=USPT; PLUR=YES; OP=ADJ</i> | | | |
| <u>L5</u> | ferment\$6 bacteri\$9.ti. | 2 | <u>L5</u> |
| <u>L4</u> | ferment\$6 bacteri\$9 | 736 | <u>L4</u> |
| <u>L3</u> | ferment\$6 microorg\$& | 0 | <u>L3</u> |
| <u>L2</u> | ferment\$6 microorgani\$& | 0 | <u>L2</u> |
| <i>DB=PGPB; PLUR=YES; OP=ADJ</i> | | | |
| <u>L1</u> | 20040042981 | 1 | <u>L1</u> |

END OF SEARCH HISTORY

Hit List

[First Hit](#) [Clear](#) [Generate Collection](#) [Print](#) [Fwd Refs](#) [Bkwd Refs](#)
[Generate OAQS](#)

Search Results - Record(s) 1 through 3 of 3 returned.

1. Document ID: US 20040042981 A1

L6: Entry 1 of 3

File: PGPB

Mar 4, 2004

PGPUB-DOCUMENT-NUMBER: 20040042981

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20040042981 A1

TITLE: Polyenecarboxylic acid derivatives, processes for preparing them, and their use

PUBLICATION-DATE: March 4, 2004

INVENTOR-INFORMATION:

| NAME | CITY | STATE | COUNTRY |
|-----------------|-----------------------|-------|---------|
| Vertesy, Laszlo | Eppstein-Vockenhausen | | DE |
| Kurz, Michael | Hofheim | | DE |
| Wink, Joachim | Rodermark | | DE |

US-CL-CURRENT: 424/59; 562/426, 562/450, 562/466

[Full](#) [Title](#) [Citation](#) [Front](#) [Review](#) [Classification](#) [Date](#) [Reference](#) [Sequences](#) [Attachments](#) [Claims](#) [KMIC](#) [Drawn D](#)

2. Document ID: WO 2004005236 A1

L6: Entry 2 of 3

File: EPAB

Jan 15, 2004

PUB-NO: WO2004005236A1

DOCUMENT-IDENTIFIER: WO 2004005236 A1

TITLE: POLYENE CARBOXYLIC ACID DERIVATIVES, METHOD FOR THEIR PRODUCTION AND THE USE THEREOF

[Full](#) [Title](#) [Citation](#) [Front](#) [Review](#) [Classification](#) [Date](#) [Reference](#) [Sequences](#) [Attachments](#) [Claims](#) [KMIC](#) [Drawn D](#)

3. Document ID: JP 2006502983 W, DE 10229713 A1, WO 2004005236 A1, US 20040042981 A1, AU 2003281344 A1, EP 1519909 A1, BR 200312337 A, MX 2004012309 A1

L6: Entry 3 of 3

File: DWPI

Jan 26, 2006

DERWENT-ACC-NO: 2004-157887

DERWENT-WEEK: 200609

COPYRIGHT 2007 DERWENT INFORMATION LTD

TITLE: New serpentemycin compounds, i.e. 1,2-bis-(alkapolyenyl)-benzene derivatives, useful as glycosyl transferase inhibiting antibacterial agents, obtained by culturing new Actinomycetales strain

[Full](#) | [Title](#) | [Citation](#) | [Front](#) | [Review](#) | [Classification](#) | [Date](#) | [Reference](#) | [Sequences](#) | [Attachments](#) | [Claims](#) | [KMC](#) | [Drawn D.](#)

[Clear](#) | [Generate Collection](#) | [Print](#) | [Fwd Refs](#) | [Bkwd Refs](#) | [Generate OACS](#)

| Terms | Documents |
|---------------|-----------|
| SERPENTEMYCIN | 3 |

Display Format: -

[Previous Page](#) [Next Page](#) [Go to Doc#](#)


ation Use Policies apply.
They are available for your review at:

<http://www.cas.org/infopolicy.html>

=>
Uploading C:\Program Files\Stnexp\Queries\466c.str

L8 STRUCTURE UPLOADED

=> d
L8 HAS NO ANSWERS
L8 STR



G1 O,S,N

Structure attributes must be viewed using STN Express query preparation.

=> s 18 full
REG1stRY INITIATED
Substance data SEARCH and crossover from CAS REGISTRY in progress...
Use DISPLAY HITSTR (or FHITSTR) to directly view retrieved structures.

FULL SEARCH INITIATED 16:32:44 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED - 36310 TO ITERATE

100.0% PROCESSED 36310 ITERATIONS 9 ANSWERS
SEARCH TIME: 00.00.01

L9 9 SEA SSS FUL L8

L10 3 L9

=> d 1-3 ibib abs hitstr

L10 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2007 ACS on STN
ACCESSION NUMBER: 2004:673055 CAPLUS
DOCUMENT NUMBER: 141:328233
TITLE: Novel Polyene Carboxylic Acids from Streptomyces
AUTHOR(S): Wenzel, Silke C.; Bode, Helge B.
CORPORATE SOURCE: Pharmazeutische Biotechnologie, Universitaet des
Saarlandes, Saarbruecken, D-66123, Germany
SOURCE: Journal of Natural Products (2004), 67(9), 1631-1633
CODEN: JNPRDF; ISSN: 0163-3864
PUBLISHER: American Chemical Society

DOCUMENT TYPE:

Journal

LANGUAGE:

English

AB Reinvestigation of the production of the unusual polyene carboxylic acid serpentene (1a) from Streptomyces sp. Tue 3851 revealed the presence of addnl. polyene carboxylic acids. The Me esters of the new all-trans serpentene (2) and four new dicarboxylic acids (3-6) were isolated after methylation of the isolated polyene fraction. The dicarboxylic acids might result from ω - and β -oxidation of the parent compds. 1 and 2.


IT 773892-94-7 773892-95-8 773892-96-9
773892-97-0

RL: NPO (Natural product occurrence); PRP (Properties); BIOL (Biological study); OCCU (Occurrence)
(novel polyene carboxylic acids from Streptomyces)

RN 773892-94-7 CAPLUS

CN 2,4,6,8-Nonatetraenoic acid, 9-[2-[(1E,3E)-5-methoxy-5-oxo-1,3-pentadienyl]phenyl]-, methyl ester, (2E,4E,6E,8E)- (9CI) (CA INDEX NAME)


Double bond geometry as shown.



RN 773892-95-8 CAPLUS

CN 2,4,6-Heptatrienoic acid, 7-[2-[(1E,3E)-5-methoxy-5-oxo-1,3-pentadienyl]phenyl]-, methyl ester, (2E,4E,6E)- (9CI) (CA INDEX NAME)


Double bond geometry as shown.



RN 773892-96-9 CAPLUS

CN 2,4,6-Heptatrienoic acid, 7-[2-[(1E,3E)-5-methoxy-5-oxo-1,3-pentadienyl]phenyl]-, methyl ester, (2Z,4E,6Z)- (9CI) (CA INDEX NAME)


Double bond geometry as shown.



RN 773892-97-0 CAPLUS

CN 2,4,6-Heptatrienoic acid, 7-[2-[(1E,3E)-5-methoxy-5-oxo-1,3-pentadienyl]phenyl]-, methyl ester, (2E,4E,6Z)- (9CI) (CA INDEX NAME)

Double bond geometry as shown.



REFERENCE COUNT:

6

THERE ARE 6 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L10 ANSWER 2 OF 3 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2004:36645 CAPLUS

DOCUMENT NUMBER: 140:92685

TITLE: Serpentemycines A-E, novel aromatic polyene antibiotics produced by Actinomycetales DSM 14865

INVENTOR(S): Vertesy, Laszlo; Kurz, Michael; Wink, Joachim

PATENT ASSIGNEE(S): Aventis Pharma Deutschland GmbH, Germany

SOURCE: Ger. Offen., 21 pp.
CODEN: GWXXBX

DOCUMENT TYPE: Patent

LANGUAGE: German


FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

| PATENT NO. | KIND | DATE | APPLICATION NO. | DATE |
|-------------|------|----------|------------------|----------|
| DE 10229713 | A1 | 20040115 | DE 2002-10229713 | 20020702 |

| | | | | |
|--|----|----------|------------------|------------|
| CA 2490570 | A1 | 20040115 | CA 2003-2490570 | 20030618 |
| WO 2004005236 | A1 | 20040115 | WO 2003-EP6407 | 20030618 |
| W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VC, VN, YU, ZA, ZM, ZW | | | | |
| RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG | | | | |
| AU 2003281344 | A1 | 20040123 | AU 2003-281344 | 20030618 |
| EP 1519909 | A1 | 20050406 | EP 2003-740270 | 20030618 |
| R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK | | | | |
| BR 2003012337 | A | 20050412 | BR 2003-12337 | 20030618 |
| JP 2006502983 | T | 20060126 | JP 2004-518540 | 20030618 |
| US 2004042981 | A1 | 20040304 | US 2003-608466 | 20030627 |
| PRIORITY APPLN. INFO.: | | | DE 2002-10229713 | A 20020702 |
| | | | US 2002-423473P | P 20021104 |
| | | | WO 2003-EP6407 | W 20030618 |

OTHER SOURCE(S) : MARPAT 140:92685
GI




AB The present inventions provides the novel aromatic polyenes serpentemycines A(I)-E, their derivs., a fermentation process to produce them and their use for the treatment and prophylaxis of bacterial infectious diseases. Also provided is Actinomycetales strain DSM 14865 which is used to produce these metabolites.

IT 643764-51-6P, Serpentemycine A 643764-53-8P,
Serpentemycine B 643764-55-0P, Serpentemycine C
RL: BMF (Bioindustrial manufacture); BSU (Biological study, unclassified);
PRP (Properties); PUR (Purification or recovery); BIOL (Biological study);
PREP (Preparation)
(serpentemycines A-E, novel aromatic polyene antibiotics produced by
Actinomycetales DSM 14865)

RN 643764-51-6 CAPPLUS

CN 2,4,6,8-Nonatetraenoic acid, 9-[2-[(1E,3E)-4-carboxy-1,3-butadienyl]phenyl]-, (2E,4Z,6E,8Z)- (9CI) (CA INDEX NAME)


Double bond geometry as shown.



RN 643764-53-8 CAPPLUS
CN 2,4,6-Heptatrienoic acid, 7-[2-[(1E,3E)-4-carboxy-1,3-butadienyl]phenyl]-,

(2E,4E,6Z)- (9CI) (CA INDEX NAME)


Double bond geometry as shown.



RN 643764-55-0 CAPLUS

CN 2,4,6-Heptatrienoic acid, 7-[2-[(1E,3E)-4-carboxy-1,3-butadienyl]phenyl]-, (2E,4E,6Z)- (9CI) (CA INDEX NAME)

Double bond geometry as shown.



L10 ANSWER 3 OF 3 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 1977:422858 CAPLUS

DOCUMENT NUMBER: 87:22858

TITLE: Unsaturated macrocyclic compounds. 121. Synthesis of benzannelated bisdehydro[14]-, -[16]-, -[18]-, and -[20]annulenes

AUTHOR(S): Darby, Nicholas; Cresp, Terry M.; Sondheimer, Franz

CORPORATE SOURCE: Dep. Chem., Univ. Coll., London, UK



SOURCE: Journal of Organic Chemistry (1977), 42(11), 1960-7

CODEN: JOCEAH; ISSN: 0022-3263

DOCUMENT TYPE: Journal

LANGUAGE: English

GI



AB Phthalaldehyde was converted to 1,2-bis(alkenynyl)benzenes I ($n = 0, 1$; R = H, Me) by known reactions and I were cyclized and dehydrated to the resp. macrocyclic benzannulenes II. Similarly prepared were the vinyllogs III (n, R given): 1, H; 1, Me; 2, H.


IT 61650-58-6P 61675-25-0P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(preparation and hydride reduction of)

RN 61650-58-6 CAPLUS

CN 2,4-Pentadienoic acid, 5,5'-(1,2-phenylene)bis-, diethyl ester, (E,E,?,?) - (9CI) (CA INDEX NAME)


Double bond geometry as described by E or Z.



RN 61675-25-0 CAPLUS

CN 2,4,6-Heptatrienoic acid, 7-[2-(5-ethoxy-5-oxo-1,3-pentadienyl)phenyl]-, ethyl ester, (all-E)- (9CI) (CA INDEX NAME)

Double bond geometry as shown.



FILE COVERS 1907 - 3 May 2007 VOL 146 ISS 19
FILE LAST UPDATED: 2 May 2007 (20070502/ED)


Effective October 17, 2005, revised CAS Information Use Policies apply.
They are available for your review at:

<http://www.cas.org/infopolicy.html>

=>
Uploading C:\Program Files\Stnexp\Queries\466a.str

L2 STRUCTURE UPLOADED

=> d
L2 HAS NO ANSWERS
L2 STR



Structure attributes must be viewed using STN Express query preparation.

=> s l2 full
REGISTRY INITIATED
Substance data SEARCH and crossover from CAS REGISTRY in progress...
Use DISPLAY HITSTR (or FHITSTR) to directly view retrieved structures.

FULL SEARCH INITIATED 14:51:03 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED - 20327 TO ITERATE

100.0% PROCESSED 20327 ITERATIONS 9 ANSWERS
SEARCH TIME: 00.00.01

L3 9 SEA SSS FUL L2

L4 3 L3

=> d 1-3 ibib abs hitstr

L4 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2007 ACS on STN
ACCESSION NUMBER: 2004:673055 CAPLUS
DOCUMENT NUMBER: 141:328233
TITLE: Novel Polyene Carboxylic Acids from Streptomyces
AUTHOR(S): Wenzel, Silke C.; Bode, Helge B.
CORPORATE SOURCE: Pharmazeutische Biotechnologie, Universitaet des
Saarlandes, Saarbruecken, D-66123, Germany
SOURCE: Journal of Natural Products (2004), 67(9), 1631-1633

CODEN: JNPRDF; ISSN: 0163-3864

PUBLISHER: American Chemical Society
DOCUMENT TYPE: Journal
LANGUAGE: English

AB Reinvestigation of the production of the unusual polyene carboxylic acid serpentene (1a) from *Streptomyces* sp. Tue 3851 revealed the presence of addnl. polyene carboxylic acids. The Me esters of the new all-trans serpentene (2) and four new dicarboxylic acids (3-6) were isolated after methylation of the isolated polyene fraction. The dicarboxylic acids might result from ω - and β -oxidation of the parent compds. 1 and 2.


IT 773892-94-7 773892-95-8 773892-96-9
773892-97-0

RL: NPO (Natural product occurrence); PRP (Properties); BIOL (Biological study); OCCU (Occurrence)
(novel polyene carboxylic acids from *Streptomyces*)

RN 773892-94-7 CAPLUS

CN 2,4,6,8-Nonatetraenoic acid, 9-[2-[(1E,3E)-5-methoxy-5-oxo-1,3-pentadienyl]phenyl]-, methyl ester, (2E,4E,6E,8E)- (9CI) (CA INDEX NAME)


Double bond geometry as shown.



RN 773892-95-8 CAPLUS


CN 2,4,6-Heptatrienoic acid, 7-[2-[(1E,3E)-5-methoxy-5-oxo-1,3-pentadienyl]phenyl]-, methyl ester, (2E,4E,6E)- (9CI) (CA INDEX NAME)

Double bond geometry as shown.




RN 773892-96-9 CAPLUS
CN 2,4,6-Heptatrienoic acid, 7-[2-[(1E,3E)-5-methoxy-5-oxo-1,3-pentadienyl]phenyl]-, methyl ester, (2Z,4E,6Z)- (9CI) (CA INDEX NAME)

Double bond geometry as shown.



RN 773892-97-0 CAPLUS
CN 2,4,6-Heptatrienoic acid, 7-[2-[(1E,3E)-5-methoxy-5-oxo-1,3-pentadienyl]phenyl]-, methyl ester, (2E,4E,6Z)- (9CI) (CA INDEX NAME)

Double bond geometry as shown.




REFERENCE COUNT: 6 THERE ARE 6 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 2 OF 3 CAPLUS COPYRIGHT 2007 ACS on STN
ACCESSION NUMBER: 2004:36645 CAPLUS
DOCUMENT NUMBER: 140:92685
TITLE: Serpentemycines A-E, novel aromatic polyene antibiotics produced by Actinomycetales DSM 14865
INVENTOR(S): Vertesy, Laszlo; Kurz, Michael; Wink, Joachim
PATENT ASSIGNEE(S): Aventis Pharma Deutschland GmbH, Germany
SOURCE: Ger. Offen., 21 pp.
CODEN: GWXXBX
DOCUMENT TYPE: Patent
LANGUAGE: German
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

| PATENT NO. | KIND | DATE | APPLICATION NO. | DATE |
|-------------|------|----------|------------------|----------|
| DE 10229713 | A1 | 20040115 | DE 2002-10229713 | 20020702 |

| | | | |
|--|-------------|------------------|------------|
| CA 2490570 | A1 20040115 | CA 2003-2490570 | 20030618 |
| WO 2004005236 | A1 20040115 | WO 2003-EP6407 | 20030618 |
| W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VC, VN, YU, ZA, ZM, ZW | | | |
| RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG | | | |
| AU 2003281344 | A1 20040123 | AU 2003-281344 | 20030618 |
| EP 1519909 | A1 20050406 | EP 2003-740270 | 20030618 |
| R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK | | | |
| BR 2003012337 | A 20050412 | BR 2003-12337 | 20030618 |
| JP 2006502983 | T 20060126 | JP 2004-518540 | 20030618 |
| US 2004042981 | A1 20040304 | US 2003-608466 | 20030627 |
| PRIORITY APPLN. INFO.: | | DE 2002-10229713 | A 20020702 |
| | | US 2002-423473P | P 20021104 |
| | | WO 2003-EP6407 | W 20030618 |

OTHER SOURCE(S) : MARPAT 140:92685
GI




AB The present inventions provides the novel aromatic polyenes serpentemycines A(I)-E, their derivs., a fermentation process to produce them and their use for the treatment and prophylaxis of bacterial infectious diseases. Also provided is Actinomycetales strain DSM 14865 which is used to produce these metabolites.

IT 643764-51-6P, Serpentemycine A 643764-53-8P,
Serpentemycine B 643764-55-0P, Serpentemycine C
RL: BMF (Bioindustrial manufacture); BSU (Biological study, unclassified);
PRP (Properties); PUR (Purification or recovery); BIOL (Biological study);
PREP (Preparation)
(serpentemycines A-E, novel aromatic polyene antibiotics produced by
Actinomycetales DSM 14865)

RN 643764-51-6 CAPLUS

CN 2,4,6,8-Nonatetraenoic acid, 9-[2-[(1E,3E)-4-carboxy-1,3-butadienyl]phenyl]-, (2E,4Z,6E,8Z)- (9CI) (CA INDEX NAME)


Double bond geometry as shown.



RN 643764-53-8 CAPLUS
CN 2,4,6-Heptatrienoic acid, 7-[2-[(1E,3E)-4-carboxy-1,3-butadienyl]phenyl]-,

(2E,4E,6Z)- (9CI) (CA INDEX NAME)


Double bond geometry as shown.



RN 643764-55-0 CAPLUS

CN 2,4,6-Heptatrienoic acid, 7-[2-[(1E,3E)-4-carboxy-1,3-butadienyl]phenyl]-, (2E,4E,6Z)- (9CI) (CA INDEX NAME)

Double bond geometry as shown.



L4 ANSWER 3 OF 3 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 1977:422858 CAPLUS

DOCUMENT NUMBER: 87:22858

TITLE: Unsaturated macrocyclic compounds. 121. Synthesis of benzannelated bisdehydro[14]-, -[16]-, -[18]-, and -[20]annulenes

AUTHOR(S): Darby, Nicholas; Cresp, Terry M.; Sondheimer, Franz

CORPORATE SOURCE: Dep. Chem., Univ. Coll., London, UK



SOURCE: Journal of Organic Chemistry (1977), 42(11), 1960-7

CODEN: JOCEAH; ISSN: 0022-3263

DOCUMENT TYPE: Journal

LANGUAGE: English

GI



AB Phthalaldehyde was converted to 1,2-bis(alkenynyl)benzenes I ($n = 0, 1$; R = H, Me) by known reactions and I were cyclized and dehydrated to the resp. macrocyclic benzannulenes II. Similarly prepared were the vinyllogs III (n, R given): 1, H; 1, Me; 2, H.


IT 61650-58-6P 61675-25-0P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(preparation and hydride reduction of)

RN 61650-58-6 CAPLUS

CN 2,4-Pentadienoic acid, 5,5'-(1,2-phenylene)bis-, diethyl ester, (E,E,?,?) - (9CI) (CA INDEX NAME)


Double bond geometry as described by E or Z.



RN 61675-25-0 CAPLUS

CN 2,4,6-Heptatrienoic acid, 7-[2-(5-ethoxy-5-oxo-1,3-pentadienyl)phenyl]-, ethyl ester, (all-E)- (9CI) (CA INDEX NAME)


Double bond geometry as shown.



=>
Uploading C:\Program Files\Stnexp\Queries\466b.str

L5 STRUCTURE UPLOADED

=> d
L5 HAS NO ANSWERS
L5 STR



Structure attributes must be viewed using STN Express query preparation.

=> s l5 full
REGISTRY INITIATED
Substance data SEARCH and crossover from CAS REGISTRY in progress...
Use DISPLAY HITSTR (or FHITSTR) to directly view retrieved structures.

FULL SEARCH INITIATED 14:52:08 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED - 1078 TO ITERATE

100.0% PROCESSED 1078 ITERATIONS 0 ANSWERS
SEARCH TIME: 00.00.01

L6 0 SEA SSS FUL L5

L7 0 L6

=>